TUMKUR DIVISION.

Dated 8th April 1930.

Notice is hereby given that sealed tenders will be received at the Office of the Exe Engineer, Tumkur Division, up to 28th April 1930 (3 P.M.), for improving Sree Anj swamy temple at Kyamenhalli, Koratagere Taluk. An approximate estimate of quant given below. These quantities are not guaranteed. The work should be comple the end of December 1930.

2. The plans, detailed estimate and conditions may be seen at the Executive En Office at Tumkur, between the hours of 11 A.M. and 5 P.M. on working days.

3. Tenders should be submitted on printed forms which may be obtained f Executive Engineer. The tenders should be accompanied by a statement in the form below, showing the rates at which the different items specified will be executed both i and figures.

4. Each tender must be accompanied by a deposit of Rs. 250 in cash or Gov Promissory Notes, as earnest money, and be superscribed "Tender for improvi Anjaneyaswamy temple at Kyamenhalli, Koratagere Taluk," in default of which, will be rejected.

5. The final acceptance of any tender will rest with the Superintending E Mysore, who does not bind himself to accept the lowest or any tender or to assign an whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender the successful compet be required to execute the usual bond: in default of which his tender will be c and earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted posted on the notice board in the Executive Engineer's Office in due course. No regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tender returned.

9. Percentage rates above or below the estimate amount will not be accepted.

10. No claims for enhanced rates will be entertained on any account after a of tenders.

11. The contractor will be dealt with in terms of the bond for any short p delay. In matters of all disputes about rates, measurements, quality of work, et all disputes of any kind the decision of the Chief Engineer will be final and legall on the contractors.

12. Rates should be quoted both in words and figures for each item of work sum provisions are subject to modifications as per data worked out during execu individual items of work under lumpsum provisions the rates tendered for simila works will be paid and for other items, the rates as per schedule of rates will be discretion of the Executive Engineer.

Tender for improving Sree Anjaneyaswamy temple at Kyamenahalli by roads, etc.

No.	Items of work	Unit
1	Dismantling mantape and removing useful slabs to new site ...	S.ft.
2	Dismantling burnt stone in mud wall and removing useful stones to new site.	C.ft.
3	Removing debris, etc., to a distance	Lum
4	Earthwork excavation levelling	C.yd.
5	Pitching curb stones (1½'×1') 8" to 4" at the corners ...	R.ft.
6	Earthwork excavation for stone work and using for platform ..	C.yd.
7	Size stone in mud for platform	C.ft.
8	Filling in platform with earth got from bed and consolidation...	C.yd
9	Chunam pointing to platform	Sqr
10	Earthwork filling the existing pit of constructing mantape—(the dramatic theatre).	Lum
	Earthwork excavation foundation for mantape	C.yd

Dated 1st April 1930.

Notice is hereby given that sealed tenders will be received at the office of the Executive Engineer, Tumkur Division, up to 28th April 1930, (3 P.M.) for opening a new Road from Salkatti to Kandikere, Chiknayakanhalli Taluk. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of December 1930.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Tumkur between the hours of 11 A.M. to 5 P.M. on working days.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed both in words and figures.

4. Each tender must be accompanied by a deposit of Rs. 300 in cash or Government Promissory Notes as earnest money and be superscribed "Tender for opening a new road from Salkatte to Kandikere, Chiknayakanhalli Taluk," in default of which tenders will be rejected.

5. The final acceptance of any tender will rest with the Superintending Engineer, Mysore who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual bond in default of which, his tender will be cancelled and earnest money will be forfeited.

7. The name of the successful competitor whose tender has been accepted, will be posted on the notice board in the Executive Engineer's office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Percentage rates above or below the estimate amount will not be accepted.

10. No claims for enhanced rates will be entertained on any account after acceptance of tenders.

11. The contractor will be dealt with in terms of the bond for any short progress or delay. In matters of all disputes about rates, measurements quality of work, etc., and in all disputes of any kind the decision of the Chief Engineer will be final and legally binding on the contractors.

12. Rates should be quoted both in words and figures for each item of work and lump sum provisions are subject to modifications as per data worked out during execution. For individual items of work under lump sum provisions the rates tendered for similar items of works will be paid and for other items, the rates as per schedule of rates will be paid at the discretion of the Executive Engineer.

13. Abstract of estimate of quantities for Tender for opening out a new Road from Salkatte to Kandikere—(0 to 2/5 Mile) Chiknayakanhalli Taluk.

Sl. No.	Items of work	Unit	Quantity
1	Jungle clearing	Furlongs	6
2	Earthwork excavating check, side and shoulder drains in ordinary and gravelly soils and using the same for road surface.	C.yds.	14,035
3	Earthwork embankment with watering and tamping ...	„	2,569
4	Cutting and removing date trees	Nos.	94
5	Removing sand	C.yds.	125
6	Removing ant hills	No.	1
7	Providing cast iron pipe 1 foot diameter 20' long ...	R.ft.	20
8	Filling deep ruts with field metal wherever necessary ...	C.yds.	140*
9	Collecting and stacking and spreading field metal	„	196
10	Do stacking and spreading gravel	„	423
11	Do and spreding sand	„	66
12	Consolidation	S.yd.	29,020
13	Providing and fixing 0 and mile stones with figuring and painting with white led and Japan.	Each	5
14	Do do furlong stones ...	„	80
15	Constructing a masonry tunnel for irrigation purposes in 6th	Lump	sum

Notice dated 1st April 1930.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Tumkur Division, up to 28th of April 1930 (3 P.M.), for constructing a Chattram at Huliyurdurga, Kunigal Taluk. An approximate estimate of quantities is given below. These quantities are not guaranteed: The work should be completed before the end of October 1930.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Tumkur, between the hours of 11 A.M. and 5 P.M. on working days.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed both in words and figures.

4. Each tender must be accompanied by a deposit of Rs. 125 in cash or Government Promissory Notes, as earnest money and be superscribed "Tender for Constructing a Chattram at Huliyurdurga, Kunigal Taluk," in default of which tenders will be rejected.

5. The final acceptance of any tender will rest with the Superintending Engineer, Mysore, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender of the successful competitor will be required to execute the usual bond in default of which his tender will be cancelled and earnest money will be forfeited.

7. The name of the successful competitor whose tender has been accepted will be posted on the notice board in the Executive Engineer's office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Percentage rates above or below the estimate amount will not be accepted.

10. No claims for enhanced rates will be entertained on any account after acceptance of tenders.

11. The contractor will be dealt within terms of the bond for any short progress or delay. In matters of all disputes about rates, measurements, quality of work, etc., and in all disputes of any kind the decision of the Chief Engineer will be final and legally binding on the contractors.

12. Rates should be quoted both in words and in figures for each item of work and lump sum provisions are subject to modifications as per data worked out during the execution. For individual items of work under lump sum provisions the rates tendered for similar items of works will be paid and for other items, the rates as per schedule of rates will be paid at the discretion of the Executive Engineer.

Tender for constructing a Chattram at Huliyurdurga, Kunigal Taluk.

No.	Items of work	Unit	Quantities
1	Earthwork excavation	C.yds.	30
2	Burnt stone in mud foundation	Cft.	799
2a	Do basement	„	455
3	Burnt stone in mud superstructure	„	2,085
4	Filling up the basement and tamping	Cyds.	88
5	Burnt stone slabs dressed	S.ft.	209
6	Honneywood work including wood oiling, etc., complete ...	C.ft.	79
7	Do battened doors including wood oiling ..	S.ft.	118
8	Do windows with iron bars ...	„	60
9	Roofing with First Class Mangalore, or Mangalore Pattern Tumkur tiles over teak reepers.	Sqrs.	13·30
10	Binding wall 9" thick over roof	R.ft.	76
11	Ridge tiles set in mortar	„	85
12	Chunam plaster	Sqrs.	86·89
	.. .. ..	„	1·85